

Complex elements

Blum

Single door - half-overlay BLUM CLIP-top 110°

Single door - half-overlay BLUM CLIP-top 155°

Single door - inset BLUM CLIP-top 110°

Single door - inset BLUM CLIP-top 155°

Single door - overlay BLUM CLIP-top 110°

Single door - overlay BLUM CLIP-top 155°

Front adjusters 295.1000

Wall hanging brackets BLUM, screw-on

Drawer with high front - LEGRABOX pure - C

High inner drawer LEGRABOX pure - design element - C

High inner drawer LEGRABOX - railing - C

Standard drawer LEGRABOX - K

Standard inner drawer - LEGRABOX - K

Standard drawer LEGRABOX - M

Standard inner drawer - LEGRABOX - M

Standard drawer LEGRABOX - N

Lifter BLUM Aventos HK top

Lifters Aventos HK - for aluminium frames

Lifter BLUM Aventos HK-S

Lifters Aventos HK-S - for small aluminium frames

Lifters Aventos HL - lift up

Lifters Aventos HS - up and over lift system

High front drawer MERIVOBX - BOXCAP - E

High front drawer MERIVOBX - BOXCOVER E

High front drawer MERIVOBX - railing - E

High inner drawer MERIVOBX - BOXCAP - E

High inner drawer MERIVOBX - BOXCOVER - E

High inner drawer MERIVOBX - railing - E

Inner drawer MERIVOBX - K

Inner drawer MERIVOBX - M

Sink drawer without strip MERIVOBX - BOXCAP - E

Sink drawer with strip MERIVOBX - BOXCAP - E - centre piece

Sink drawer without strip MERIVOBX - BOXCOVER - E

Sink drawer with strip MERIVOBX - BOXCOVER - E - centre piece

Sink drawer without strip MERIVOBX - railing - E

Sink drawer with strip MERIVOBX - railing - E - centre piece

Sink drawer without strip MERIVOBX - M

Sink drawer with strip MERIVOBX - M - centre piece

Standard drawer MERIVOBX - K

Standard drawer MERIVOBOX - M

Standard drawer MERIVOBOX - N

Waste sorter drawer MERIVOBOX - BOXCAP - E

Waste sorter drawer MERIVOBOX - BOXCOVER - E

Waste sorter drawer MERIVOBOX - railing - E

High front drawer single extension METABOX - railing - B

Standard drawer single extension METABOX - K

Standard inner drawer single extension METABOX - K

Standard drawer single extension METABOX - M

Standard inner drawer single extension METABOX - M

Standard drawer single extension METABOX - N

Standard inner drawer single extension METABOX - N

Drawer with cabinet underside fixing MOVENTO BLUMOTION - 760H

Standard drawer MOVENTO BLUMOTION - TIP ON - 760H

Standard drawer MOVENTO BLUMOTION 760H

Standard drawer full extension TANDEM BLUMOTION - 550F

Standard drawer single extension TANDEM BLUMOTION - 550H

Inner drawer single extension TANDEM BLUMOTION - 551F

Standard drawer single extension TANDEM BLUMOTION - 551F

Standard drawer single extension TANDEM BLUMOTION - 551H

Standard drawer full extension TANDEM BLUMOTION - 560F

Standard drawer full extension TANDEM BLUMOTION - 560H

Standard drawer full extension TANDEM BLUMOTION - 561F

Standard drawer full extension TANDEM BLUMOTION - 561H

Standard drawer full extension TANDEM BLUMOTION - 560H

High inner drawer TANDEMBOX Antaro - railing - C

High front drawer - railing - TANDEMBOX Antaro C

High inner drawer TANDEMBOX Antaro - railing - D

High front drawer with rail - TANDEMBOX Antaro D

High inner drawer TANDEMBOX Antaro - railing - D+K

High front drawer with rail - TANDEMBOX Antaro D+K

Standard drawer - TANDEMBOX Antaro K

Inner drawer - TANDEMBOX Antaro K

Standard drawer - TANDEMBOX Antaro M

Inner drawer - TANDEMBOX Antaro M

Standard drawer - TANDEMBOX Antaro N

Sink drawer with high front TANDEMBOX Antaro - railing - C

Sink drawer with high front TANDEMBOX Antaro - railing - D

Festool

Domino dowel set (AM)

Domino dowel set (D)



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Häfele

Cabineo 12 connector set (AM)

Cabineo 12 connector set (D)

Cabineo 8 connector set (AM)

Cabineo 8 connector set (D)

Cabineo 8 M6 connector set (AM)

Cabineo 8 M6 connector set (D)

Clamex P-10 connector set (AM)

Clamex P-10 connector set (D)

Clamex P-14 connector set (AM)

Clamex P-14 connector set (D)

Clamex P-14/10 Medius connector set (AM)

Clamex P-14/10 Medius connector set (D)

Clamex S connector set (AM)

Clamex S connector set (D)

Clamex S-20 connector set (AM)

Clamex S-20 connector set (D)

Single door - half-overlay Häfele Metalla 110°

Single door - half-overlay Häfele Metalla 105°

Single door - inset Häfele Metalla 105°

Single door - inset Häfele Metalla 110°

Single door - overlay Häfele Metalla 110°

Single door - overlay Häfele Metalla 105°

Wall hanging brackets Häfele Camar 807

Connector set for worktops with th. min. 15 mm (AM)

Connector set for worktops with th. min. 15mm (D)

Connector set for worktops with th. min. 23 mm (AM)

Connector set for worktops with th. min. 23 mm (D)

Connector set for worktops Maxifix 35 (AM)

Connector set for worktops Maxifix 35 (D)

Screw connector set for worktops with th. min. 19 mm (AM)

Screw connector set for worktops with th. min. 19 mm (D)



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Hettich

Standard drawer full extension Silent System Actro V5 XL
Standard drawer full extension Silent System Actro V5
Inner double walled drawer with high front AvanTech YOU - Inlay - 187 mm
Double walled drawer with high front AvanTech YOU - Inlay - 187 mm
Double walled drawer AvanTech YOU - Inlay - 187 mm
Double walled drawer with high front AvanTech YOU - 251 mm
Inner double walled drawer AvanTech YOU - 101 mm
Double walled drawer AvanTech YOU - 101 mm
Inner double walled drawer AvanTech YOU - 139 mm
Double walled drawer AvanTech YOU - 139 mm
Double walled drawer AvanTech YOU - 77 mm
Single door - half-overlay HETTICH Sensys 110°
Single door - half-overlay HETTICH Sensys 165°
Single door - inset HETTICH Sensys 110°
Single door - inset HETTICH Sensys 95°
Single door - overlay HETTICH Sensys 110°
Single door - overlay HETTICH Sensys 165°
Standard drawer full extension FR 402 10583XX
Standard drawer full extension FR 6142 416XX
Double walled drawer InnoTech Atira - DesignSide - 144 mm
Double walled drawer InnoTech Atira - DesignSide - 176 mm
Inner double walled drawer InnoTech Atira - 144 mm
Double walled drawer InnoTech Atira - railing - 144 mm
Double walled drawer InnoTech Atira - railing - 176 mm
Double walled drawer InnoTech Atira - 54 mm
Inner double walled drawer InnoTech Atira - 70 mm
Double walled drawer InnoTech Atira - 70 mm
Standard drawer single extension KA 1730 in groove fixing 307XX_7905X
Standard drawer single extension KA 270 in groove fixing 1005XXX
Standard drawer full extension KA 4532 AM 91145XX
Standard drawer full extension KA 4532 911427X
Standard drawer over extension KA 4932 AM 908029X
Standard drawer with full extension KA 5332 595
Standard drawer single extension Quadro 25 EB 23
Standard drawer full extension Quadro 40 BM
Standard drawer full extension Quadro 4D V6 EB20
Standard drawer full extension Quadro V6 BM EB20
AVB4 worktop connector set (AM)
AVB4 worktop connector set (D)
AVB5 worktop connector set (AM)
AVB5 worktop connector set (D)



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Italiana Ferramenta

K Top worktop connector set (AM)

K Top worktop connector set (D)

QUICK connector set for worktops with th. min. 25 mm (AM)

QUICK connector set for worktops with th. min. 25 mm (D)

Nomet

Handle AKSIS

Handle ALTARE

Handle ALTRO

Handle AMARO

Handle ANDARE

Handle ANSA

Handle APRO

Sevroll

SEVROLLBOX Slim 167

Sliding door x2 GEMINI 18

Sliding door x2x1 GEMINI 18

Sliding door x2x2 GEMINI 18

Sliding door x3 GEMINI 18

Sliding door x3x1 GEMINI 18

Sliding door x3x2 GEMINI 18

Sliding door x3x3 GEMINI 18



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Simple elements

Blum

Front adjuster 295.1000

Wall hanging bracket BLUM, screw-on, 48N0510.0X

Angled hinge CLIP top BLUMOTION 95° +15° III max. overlay application 79B9454_17XHX1X0

Angled hinge CLIP top BLUMOTION 95° +20° II overlay application 79B9555_17XH71X0

Angled hinge CLIP top BLUMOTION 95° +30° II overlay application 79B9556_17XHX1X0

Angled hinge CLIP top BLUMOTION 95° +30° III max. overlay application 79B9456_17XHX1X0

Angled hinge CLIP top BLUMOTION 95°+45° I half-overlay application 79B9658_1XH71X0

Angled hinge CLIP top BLUMOTION 110° +45° II overlay application 79B3558_17XHX1X0

Angled hinge CLIP top BLUMOTION 95° +45° III max. overlay application 79B9458_175H71X0

Angled hinge CLIP top BLUMOTION 95° ±5° 71B9X50_173H7100

Angled hinge CLIP top BLUMOTION 110° -15° III 79B3453_17XHX1X0

Angled hinge CLIP top BLUMOTION 110° -30° 79B3451_17XHX1X0

Angled hinge CLIP top BLUMOTION 110° -45° III max. overlay application 79B3450_173H71X0

Angled hinge CLIP top BLUMOTION 110° CRISTALLO 71B4500C_173H71X0

Angled hinge CLIP top BLUMOTION 110° for thin fronts 71B453T_173H7100

Angled hinge CLIP top +15° III max. overlay application 78A9454.T_17XH71X0

Angled hinge CLIP top +20° II overlay application 78A9555.T_17XH71X0

Angled hinge CLIP top +30° II overlay application 78A9556.T_17XHX1X0

Angled hinge CLIP top +30° III max. overlay application 78A9456.T_17XH71X0

Angled hinge CLIP top +45° I half-overlay application 78A9658.T_17XH71X0

Angled hinge CLIP top +45° II overlay application 78T5550_17XH71X0

Angled hinge CLIP top +45° III max. overlay application 78A9458.T_17XHX1X0

Angled hinge CLIP top +45° for glass doors 79A4108.T_17XH71X0

Angled hinge CLIP top mini +45° 79A0558.T_17XH71X0X

Angled hinge CLIP top 95°±5° 70T9X50.TL_173H7100

Angled hinge CLIP top 94°±5° for glass doors 75T4100_173H71X0

Angled hinge CLIP top mini ±5° dual application 71T0650_173H7100

Angled hinge CLIP top mini 94°±5° 71T0X50_173H71X0

Angled hinge CLIP top mini ±5° overlay application 71T0550_173H7130

Angled hinge CLIP top 110°-15° III max. overlay application 78A5453.T_17XHX1X0

Angled hinge CLIP top 110°-30° max. overlay application 78A5451.T_17XHX1X0

Angled hinge CLIP top 110°-45° III max. overlay application 78A5450.T_173H71X0

Angled hinge CLIP top 110° CRISTALLO for glass doors 71T4500C_173H7100

Angled hinge CLIP top 110° for thin fronts 71T453T_173H7100

Hinge CLIP 100° dual application 71M26X0_173H7100

Hinge CLIP 100° inset application 71M27X0_173H7100

Hinge CLIP 100° overlay application 71M25X0_173H7100

Hinge CLIP top 107° dual application 75T16X0X_173H71X0

Hinge CLIP top 107° inset application 75T17X0X_173H71X0

Hinge CLIP top 107° overlay application 75T15X0X_173H91X0

Hinge CLIP top 110° dual application 71T36X0X_175H91X0

Hinge CLIP top 110° inset application 71T37X0_175H91X0

Hinge CLIP top 110° overlay application 71T35X0_175H91X0
Hinge CLIP top special 110° overlay application 73T35X0_175H91X0
Hinge CLIP top 155° dual application 71T76X0_175H91X0
Hinge CLIP top 155° inset application 71T76X0_175H91X0
Hinge CLIP top 155° overlay application 71T75X0_175H91X0
Hinge CLIP top 170° dual application 71T66X0_175H91X0
Hinge CLIP top 170° inset application 71T66X0_175H91X0
Hinge CLIP top 170° overlay application 71T65X0X_175H91X0
Hinge CLIP top 95° alu frames dual application 71T960A_175H91X0
Hinge CLIP top 95° alu frames inset application 71T970A_175H91X0
Hinge CLIP top 95° alu frames overlay application 71T950A_175H91X0
Hinge CLIP top 95° for profile/thick doors dual application 71T96X0X_175H91X0
Hinge CLIP top 95° for profile/thick doors inset application 71T97X0X_175H91X0
Hinge CLIP top 95° for profile/thick doors overlay application 71T95X0X_175H91X0
Hinge CLIP top 95° for bathroom cabinet inset application 70T9750_175M4C20N
Hinge CLIP top 83° for parallel doors inset application 78T9550.83_175H91X0
Hinge CLIP top 95° for parallel doors inset application 78T9550.TL_175H91X0
Hinge CLIP top 60° for bi-fold doors 79T8500_173H91X0
Hinge CLIP top 110° CRISTALLO for glass doors 71T4500C_175H91X0
Hinge CLIP top 110° CRISTALLO for glass showcase 71T4500C_175H91X0
Hinge CLIP top 94° for glass doors dual application 75T4200_175H91X0
Hinge CLIP top 94° for glass doors inset application 75T4300_175H91X0
Hinge CLIP top 94° for glass doors overlay application 75T4100_175H91X0
Hinge CLIP top 110° for thin fronts 71T453T_175H91X0
Hinge CLIP top mini 94° dual application 71T0650_175H91X0
Hinge CLIP top mini inset application 71T0750_175H91X0
Hinge CLIP top mini 94° overlay application 71T0550_175H91X0
Hinge CLIP top BLUMOTION 107° dual application 75B16X0_175H91X0
Hinge CLIP top BLUMOTION 107° inset application 75B17X0_175H91X0
Hinge CLIP top BLUMOTION 107° overlay application 75B15X0_175H91X0
Hinge CLIP top BLUMOTION 110° dual application 71B36X0_175H91X0
Hinge CLIP top BLUMOTION 110° inset application 71B37X0_175H91X0
Hinge CLIP top BLUMOTION 110° overlay application 71B35X0_175H91X0
Hinge CLIP top BLUMOTION 110° special overlay application 73B3550_175H91X0
Hinge CLIP top BLUMOTION 125° overlay application 71B75X0D_175H91X0
Hinge CLIP top BLUMOTION 155° dual application 71B76X0_175H91X0
Hinge CLIP top BLUMOTOIN 155° inset application 71B76X0_175H9190
Hinge CLIP top BLUMOTION 155° overlay application 71B75X0_175H91X0
Hinge CLIP top BLUMOTION do 973A 95° alu frames overlay application 71T950AB_173H7100
Hinge CLIP top BLUMOTION 95° alu frames dual application 71B960A_173H7100
Hinge CLIP top BLUMOTION 95° alu frames inset application 71B970A_173H7100
Hinge CLIP top BLUMOTION 95° alu frames overlay application 71B950A_173H71X0
Hinge CLIP top BLUMOTION for profile/thick doors 95° dual application 71B9650_175H91X0
Hinge CLIP top BLUMOTION for profile/thick doors 95° inset application 71B9750_17591X0
Hinge CLIP top BLUMOTION 95° for profile/thick doors overlay application 71B95X0_175H91X0



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Hinge CLIP top BLUMOTION 95° bathroom cabinet inset application 71B9750_175M4C20N
Hinge CLIP top BLUMOTION Cristallo glass showcase inset application 71B4500C_175M4C20N
Hinge CLIP top BLUMOTION CRISTALLO 71B4500C_175H91X0
Hinge CLIP top BLUMOTION for parallel doors 83° inset application 79B9550.83_173H7130
Hinge CLIP top BLUMOTION for parallel doors 95° inset application 79B9550_173H7130
Hinge CLIP top BLUMOTION 95° for parallel doors overlay application 79B9950_175H91X0
Hinge CLIP top BLUMOTION 110° for thin fronts 71B453T_175H91X0
Hinge MODUL 100° dual application 91M26X0_195H71X0
Hinge MODUL 100° inset application 91M2750_195H71X0
Hinge MODUL 100° overlay application 91M25X0_195H71X0
Hinge MODUL 95° for fridge doors overlay application 91K9550_194K6100E
Hinge MODUL BLUMOTION for parallel doors inset application 99B9550_199.8130
Angled spacer +5° 0.8-3-6 mm 171A50X0
Angled spacer -5° 6 mm 171A5500
Mounting plate CRISTALLO 175M4C20N
Cruciform mounting plate with housing - 37/32 173H71X0
Cruciform mounting plate with housing EXPANDO 5 - 37/32 174H71X0E
Cruciform mounting plate with housing EXPANDO 5 dual application -37/32 174H71XZE
Cruciform mounting plate - 37/32 173L61X0
Cruciform mounting plate - 37/32 173L81X0
Cruciform mounting plate - 28/32 173L83X0
Cruciform mounting plate EXPANDO 5 - 37/32 174E61X0.01
Cruciform mounting plate for inserting - 37/32 174L61X0.05
Cruciform mounting plate - 37/32 175H71X0
Cruciform cam mounting plate - 37/32 175H91X0
Cruciform mounting plate - 37/32 175L81X0
Cruciform mounting plate dual application - 37/32 173L8100.21
Horizontal cam mounting plate - 20/32 175H31X0
Horizontal cam mounting plate - 20/32 175H41X0
Horizontal cam mounting plate EXPANDO 5 - 20/32 177H31X0
Horizontal cam mounting plate EXPANDO 5 - 20/32 177H31X0E
Horizontal cam mounting plate EXPANDO 10 - 20/32 177H31X0E10
Horizontal cam mounting plate dual application - 20/32 175H410Z
Cruciform mounting plate INSERTA - 37/32 174H71X0I
Cruciform mounting plate MODUL - 37/32 193L61X0
Cruciform mounting plate MODUL - 37/32 193L81X0
Cruciform mounting plate EXPANDO 5 - 37/32 194E61X0.ED
Cruciform mounting plate MODUL - 37/32 195H71X0
Cruciform mounting plate MODUL - blind corner hinge inset application - 14/32 199.8130
Cruciform mounting plate EXPANDO 5 for fridge door hinge - 37/32 194K6100E
Cruciform mounting plate MODUL dual application - 37/32 193L6100.21
TIP-ON 956A - long version with bumper - strong spring 956A1006F
TIP-ON 956A - long version with bumper - standard spring 956A1006
TIP-ON 956A - long version with magnet 956A1004
TIP-ON 956. - short version with magnet 956.1004



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Lift system Aventos HK for alu frames left
Lift system Aventos HK for alu frames right
Lift system Aventos HK for tilt-folding fronts left
Lift system Aventos HK for tilt-folding fronts right
Lift system Aventos HK-S for tilt-folding fronts left
Lift system Aventos HK-S for tilt-folding fronts right
Lift system Aventos HL for alu frames left
Lift system Aventos HL for alu frames right
Lift system Aventos HL for tilt-folding fronts left
Lift system Aventos HL for tilt-folding fronts right
Lift system Aventos HS for tilting and overlapping fronts left
Lift system Aventos HS for tilting and overlapping fronts right
Cabinet profile LEGRABOX left 40kg 750.XXX1S
Cabinet profile LEGRABOX right 40kg 750.XXX1S
High front drawer side set - C LEGRABOX pure left 770CXXX2S
High front drawer side set - C LEGRABOX pure right 770MXXX2S
High inner drawer side set - C LEGRABOX pure left 770CXXX2S
High inner drawer side set - C LEGRABOX pure right 770MXXX2S
Standard drawer side set K LEGRABOX left 770KXXX2S
Standard drawer side set K LEGRABOX right 770MXXX2S
Inner drawer side set K LEGRABOX left 770KXXX2S
Inner drawer side set K LEGRABOX right 770MXXX2S
Standard drawer side set M LEGRABOX left 770MXXX2S
Standard drawer side set M LEGRABOX right 770MXXX2S
Standard inner drawer side set M LEGRABOX left 770MXXX2S
Standard inner drawer side set M LEGRABOX right 770MXXX2S
Standard drawer side set - N LEGRABOX left 770MXXX2S
Standard drawer side set N LEGRABOX right 770NXXX2S
High front drawer MERIVOBOX - BOXCAP - left side
High front drawer MERIVOBOX - BOXCAP - right side
High front drawer MERIVOBOX - BOXCOVER - left side
High front drawer MERIVOBOX - BOXCOVER - right side
Front connector ZF4.10X2
Cabinet profile MERIVOBOX left 30kg 450.XX01B
Cabinet profile MERIVOBOX right 30kg 450.XX01B
Cabinet profile MERIVOBOX left 453.XX01BZ
Cabinet profile MERIVOBOX right 70kg 453.XX01BZ
Front/base stabiliser for thin fronts Z96.00T1
Front/base stabiliser EXPANDO Z96.10E1
Front piece set ZI4.0MS1
Front piece set ZI4.1KS1
Front piece set XI4.XES1
Front connector ZI4.XXS1_e
Drawer side set BOXCAP-E MERIVOBOX left 470MXX02S_ZF4.10X2
Drawer side set BOXCAP-E MERIVOBOX right 470MXX02S_ZF4.10X2



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

High inner drawer side set BOXCAP-E MERIVOBX left 470MXX02S_ZF4.10X2
High inner drawer side set BOXCAP-E MERIVOBX right 470MXX02S_ZF4.10X2
High inner drawer MERIVOBX - BOXCAP - E - left side
High inner drawer MERIVOBX - BOXCAP - E - right side
High inner drawer MERIVOBX - BOXCOVER - E - left side
High inner drawer MERIVOBX - BOXCOVER - E - right side
High inner drawer MERIVOBX - railing - E - left side
High inner drawer MERIVOBX - railing - E - right side
Inner drawer MERIVOBX - K - left side
Inner drawer MERIVOBX - K - right side
Inner drawer MERIVOBX - M - left side
Inner drawer MERIVOBX - M - right side
High front drawer MERIVOBX - railing - E - left side
High front drawer MERIVOBX - railing - E - right side
Sink drawer MERIVOBX BOXCAP E - left side
Sink drawer MERIVOBX BOXCAP E - right side
Sink drawer MERIVOBX BOXCOVER E - left side
Sink drawer MERIVOBX BOXCOVER E - right side
Sink drawer MERIVOBX - railing - E - left side
Sink drawer MERIVOBX - railing - E - right side
Standard drawer side set - K MERIVOBX left 470KXX02S_ZF4.10X2
Standard drawer side set - K MERIVOBX right 470KXX02S_ZF4.10X2
Inner drawer side set - K MERIVOBX left 470KXX02S_ZF4.10X2
Inner drawer side set - K MERIVOBX right 470KXX02S_ZF4.10X2
Standard drawer side set - M MERIVOBX left 470MXX02S_ZF4.10X2
Standard drawer side set - M MERIVOBX right 470MXX02S_ZF4.10X2
Inner drawer side set - M MERIVOBX left 470MXX02S_ZB4M000S
Inner drawer side set - M MERIVOBX right 470MXX02S_ZB4M000S
Standard drawer side set - N MERIVOBX left 470NXX02S_ZF4.10X2
Standard drawer side set - N MERIVOBX right 470NXX02S_ZF4.10X2
Standard drawer MERIVOBX - K - left side
Standard drawer MERIVOBX - K - right side
Standard drawer MERIVOBX - M - left side
Standard drawer MERIVOBX - M - right side
Standard drawer MERIVOBX - N - left side
Standard drawer MERIVOBX - N - right side
Waste sorter drawer MERIVOBX - BOXCAP - E - left side
Waste sorter drawer MERIVOBX - BOXCAP - E - right side
Waste sorter drawer MERIVOBX - BOXCOVER - E - left side
Waste sorter drawer MERIVOBX - BOXCOVER - E - right side
Waste sorter drawer MERIVOBX - railing - E - left side
Waste sorter drawer MERIVOBX - railing - E - right side
Cabinet profile METABOX left 320XXX0X
Cabinet profile METABOX right 320XXX0X
Standard drawer side set with railing single extension B METABOX left 320MXXX



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Standard drawer side set with railing single extension B METABOX right 320MXXX_ZRE

Standard drawer side set K METABOX left 320KXXX

Standard drawer side set K METABOX right 320KXXX

Inner drawer side set K METABOX left 320KXXX

Inner drawer side set K METABOX right 320KXXX

Standard drawer side set single extension M METABOX left 320MXXX

Standard drawer side set single extension M METABOX right 320MXXX

Inner drawer side set single extension M METABOX left 320MXXX

Inner drawer side set single extension M METABOX right 320MXXX

Standard drawer side set single extension N METABOX left 320NXXX

Standard drawer side set single extension N METABOX right 320NXXX

Inner drawer side set single extension typ N METABOX left 320NXXX

Inner drawer side set single extension typ N METABOX right 320NXXX

Cabinet profile MOVENTO BLUMOTION left 760HXXX0S

Cabinet profile MOVENTO BLUMOTION right 760HXXX0S

Cabinet profile MOVENTO BLUMOTION bottom mounting left 760HXXX0SU

Cabinet profile MOVENTO BLUMOTION bottom mounting right 760HXXX0SU

Cabinet profile MOVENTO TIP-ON left 760HXXX0T

Cabinet profile MOVENTO TIP-ON right 760HXXX0T

Cabinet profile TANDEM BLUMOTION left 550FXXX0B

Cabinet profile TANDEM BLUMOTION right 550FXXX0B

Cabinet profile TANDEM BLUMOTION left 550HXXX0B

Cabinet profile TANDEM BLUMOTION right 550HXXX0B

Cabinet profile TANDEM BLUMOTION left 551F3XX01B

Cabinet profile TANDEM BLUMOTION right 551F3XX01B

Cabinet profile TANDEM BLUMOTION left 551HXXX01B

Cabinet profile TANDEM BLUMOTION right 551HXXX01B

Cabinet profile TANDEM BLUMOTION left 560FXXX0B

Cabinet profile TANDEM BLUMOTION right 560FXXX0B

Cabinet profile TANDEM BLUMOTION left 561FXXX0B

Cabinet profile TANDEM BLUMOTION right 561FXXX01B

Cabinet profile TANDEM BLUMOTION left 561HXXX1B

Cabinet profile TANDEM BLUMOTION right 561HXXX1B

Cabinet profile TANDEM TIP-ON left 550FXXX0T

Cabinet profile TANDEM TIP-ON right 550FXXX0T

Cabinet profile TANDEM TIP-ON right 550HXXX000T

Cabinet profile TANDEM TIP-ON right 550HXXX000T

Cabinet profile TANDEM TIP-ON left 560FXX00C

Cabinet profile TANDEM TIP-ON right 560FXX00C

Cabinet profile TANDEM BLUMOTION left 560HXXX0B

Cabinet profile TANDEM BLUMOTION right 560HXXX0B

Cabinet profile TANDEMBOX antaro left 30kg 578.XXX1M

Cabinet profile TANDEMBOX antaro right 30kg 578.XXX1M

Cabinet profile TANDEMBOX antaro left 65kg 576.XXX1M

Cabinet profile TANDEMBOX antaro right 65kg 576.XXX1M



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

High inner drawer side set - C TANDEMBOX Antaro left 378MXXX2SA_ZRG.XXXRSIC

High inner drawer side set - C TANDEMBOX Antaro right 378MXXX2SA_ZRG.XXXRSIC

High front drawer side set - railing - C TANDEMBOX Antaro left 378MXXX2SA_ZRG.XXXRSIC

High front drawer side set- railing - C TANDEMBOX Antaro right 378MXXX2SA_ZRG.XXXRSIC

Drawer side set K TANDEMBOX Antaro left 378KXXX2SA

Standard drawer side set - K TANDEMBOX Antaro left 378MXXX2SA

Drawer side set K TANDEMBOX Antaro right 378KXXX2SA

Standard drawer side set - K TANDEMBOX Antaro right 378KXXX2SA

Inner drawer side set - K TANDEMBOX Antaro left 378MXXX2SA

Inner drawer side set - K TANDEMBOX Antaro right 378KXXX2SA

Standard drawer side set - M TANDEMBOX Antaro right 378MXXX2SA

Inner drawer side set - M TANDEMBOX Antaro left 378MXXX2SA

Inner drawer side set - M TANDEMBOX Antaro right 378MXXX2SA

Standard drawer side set - N TANDEMBOX Antaro left 378NXXX2SA

Standard drawer side set - N TANDEMBOX Antaro right 378NXXX2SA

Festool

Domino dowel

Häfele

Häfele AXILO Tube with screw-in glide with rectangular mounting plate for screw fixing 637_76_35X

Häfele AXILO Tube with screw-in glide with triangular mounting plate for knocking in 637_76_35X

Shelf support for plug fitting into drill hole Ø 5mm 282.24.717.1

Shelf support for plug fitting into drill hole Ø 5mm 282.24.718

Shelf support for plug fitting into drill hole Ø 5mm 282.24.727

Shelf support for plug fitting into drill hole Ø 5mm 282.24.728

Shelf support for knocking into the side panel 281.23.104

Shelf support for plug fitting into drill hole Ø 5 mm 281.41.907

Shelf support for plug fitting into drill hole Ø 5 mm 282.02.300

Shelf support for plug fitting into drill hole Ø 5 mm 282.04.711

Shelf support for plug fitting into drill hole Ø 5mm 282.04.712

Shelf support for plug fitting into drill hole Ø 5 mm 282.12.705

Glass shelf support for screw fixing into drill hole Ø 3mm or 5mm 282.13.600

Shelf support for plug fitting into drill hole Ø 5 mm 283.13.610

Shelf support for screw fixing into the side panel 282.18.706

Shelf support for screw fixing into drill hole Ø 3 mm 282.20.700

Shelf support for plug fitting into drill hole Ø 3 mm 282.20.703

Shelf support for plug fitting into drill hole Ø 5 mm 282.20.715

Shelf support for plug fitting into drill hole Ø 5 mm 282.20.724

Shelf support for plug fitting into drill hole Ø 5 mm 282.24.710

Shelf support for plug fitting into drill hole Ø 5 mm 282.24.720

Shelf support for plug fitting into drill hole Ø 5 mm 282.24.730

Shelf support for plug fitting into drill hole Ø 5 mm 282.24.732

Shelf support for plug fitting into drill hole Ø 5 mm 282.38.708



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Shelf support for screwing into spreading sleeve for drill hole Ø 5 mm 282.39.705

Shelf support for plug fitting into drill hole Ø 5 mm 282.40.708

Shelf support for plug fitting into drill hole Ø 5 mm 282.41.705

Shelf support for plug fitting into drill hole Ø 5 mm 282.42.702

Shelf support for plug fitting into drill hole Ø 3 mm 282.43.727

Shelf support for plug fitting into drill hole Ø 5 mm 282.43.905

Shelf support for plug fitting into drill hole Ø 5 mm 283.63.715

Shelf support for screw fixing into drill hole Ø 5mm 282.26.701

Shelf support for screw fixing into drill hole Ø 5mm 282.26.706

Cabineo 12 connector

Cabineo 8 connector

Cabineo 8 M6 connector

Clamex S connector

Clamex P-10 connector

Clamex P-14 connector

Clamex P-14/10 Medius connector

Clamex S-20 connector

Wall hanging bracket Häfele Camar 807

Häfele hinge for wood thickness from 24 mm for concealed mounting 341.04.710

Hinge Häfele Metalla 110 SM 105° for half-overlay/dual doors 311.04.200 with mounting plate 311.71.51X

Hinge Häfele Metalla 110 SM 105° for inset doors 311.04.201 with mounting plate 311.71.51X

Hinge Häfele Metalla 110 SM 105° for overlay doors 311.04.199 with mounting plate 311.71.51X

Hinge Häfele Metalla 310 SM 110° for half-overlay/dual doors 311.04.652 with mounting plate 311.71.51X

Hinge Häfele Metalla 310 SM 110° for inset doors 311.04.005 with mounting plate 311.71.51X

Hinge Häfele Metalla 310 SM 110° for overlay doors 311.04.003 with mounting plate 311.71.51X

Häfele Metalla 310 SM cruciform mounting plate with quick assembly technique with Euro screws 311.71.51X

Häfele Metalla 310 SM cruciform mounting plate with quick assembly technique 311.71.50X

Häfele Metalla 310 SM cruciform mounting plate with quick assembly technique 311.70.61X

Häfele Duomatic SM horizontal mounting plate screw fixing 329.67.060

Häfele Keku AS Panel component for screw fixing to panels 262.50.359

Häfele Keku AS Frame component 262.50.368 and AS Panel component 262.50.359

Häfele Keku ASR Frame component 262.50.390 and AS Panel component 262.50.359

Häfele Keku EH Panel component 262.49.358 and EHS Panel component 262.49.256

Häfele Keku EH Frame component 262.49.360 and Panel component with lip 262.49.356

Häfele Keku EH 262.49.365 and Panel component with lip 262.49.356

Häfele Keku Panel component without lip for panels that are frequently removed 262.49.350

Häfele Keku EHS Panel component with lip 262.49.356

Häfele Keku EHS Frame component 262.49.367 and Panel component with lip 262.49.356

Häfele Keku EHS 262.49.369 and Panel component with lip 262.49.356

Häfele Keku AD 15 angled component 262.51.380 and Panel component with lip 262.49.356

Häfele Keku AD 30 angled component 262.51.390 and Panel component with lip 262.49.356

Häfele Keku AD Panel component with lip 262.49.356

Housing Häfele Minifix S100 262.09.202



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Connector housing Häfele Rafix 20 for wood thickness 16 mm 263.13.703 with bolt 263.20.981
Connector housing Häfele Rafix 20 for wood thickness 19 mm 263.13.705 with bolt 263.20.981
Connector housing Häfele Rafix 20 for wood thickness 16 mm 263.15.703 with bolt 263.20.810
Connector housing Häfele Rafix 20 for wood thickness 16 mm 263.50.703 with bolt 263.20.8XX
Connector housing Häfele Rafix 20 for wood thickness 19 mm 263.50.705 with bolt 263.20.810
Connector housing Häfele Rafix 20 with tightening element for wood thickness 16 mm with dowel 263.13.703
Connector housing Häfele Rafix 20 with tightening element for wood thickness 19 mm with dowel 263.13.705
Connector housing Häfele Rafix 20 with tightening element for wood thickness 16 mm with dowel 263.17.703
Connector housing Häfele Rafix 20N with ridge with tightening element for wood thickness 19 mm 263.17.705
Connector housing Häfele Rafix Tab 20 with ridge for wood thickness 16 mm 263.09.230
Connector housing Häfele Rafix 20 with tightening element for wood thickness 16 mm 263.11.703
Connector housing Häfele Rafix 20 with tightening element for wood thickness 19 mm 263.11.705
Connector housing Häfele Rafix 20 with tightening element for wood thickness 16 mm 263.15.703
Connector housing Häfele Rafix 20 with tightening element, for wood thickness 19 mm 263.15.705
Connector housing Häfele Rafix 20 with tightening element, for wood thickness 16 mm 263.50.703
Connector housing Häfele Rafix 20 with tightening element, for wood thickness 19 mm 263.50.705
Connecting bolt Häfele Rafix M20 for drilling hole Ø 5 mm 263.20.131
Connecting bolt Häfele Rafix S20 for drilling hole Ø 3 mm 263.20.810
Connecting bolt Häfele Rafix S20 for drilling hole Ø 5 mm 263.20.8XX
Connecting bolt Häfele Rafix M20 for drilling hole Ø 5 mm 263.20.981
Connecting bolt Häfele Rafix S20 with thread M6 263.21.82X
Worktop connector, for tightening with a cordless screwdriver
Worktop connectors, for tightening with a cordless screwdriver
Worktop connector Häfele Maxifix 35
Screw connector for worktops

Hettich

Double walled drawer side set 187 mm Avan Tech YOU Inlay left universal 92551XX.310
Double walled drawer side set 187 mm Avan Tech YOU Inlay right universal 92551XX.310
Double walled drawer side set 187 mm Avan Tech YOU right universal 92550XX.304
Double walled drawer side set 251 mm Avan Tech YOU left 92550XX.308
Double walled drawer side set 251 mm Avan Tech YOU right 92550XX.308
Double walled drawer side set 101 mm Avan Tech YOU left universal 92550XX.296
Double walled drawer side set 101 mm Avan Tech YOU right universal 92550XX.296
Double walled drawer side set 139 mm Avan Tech YOU left universal 92550XX.300
Double walled drawer side set 139 mm Avan Tech YOU right universal 92550XX.300
Double walled drawer side set 77 mm Avan Tech YOU left universal 925500X.292
Double walled drawer side set 77 mm Avan Tech YOU right universal 925500X.292
Drawer runner Actro YOU with Silent System left - load class L (40kg)
Drawer runner Actro YOU with Silent System right - load class L (40kg)
Drawer runner Quadro V6 EB 10,5 Push to open left - load up to 30 kg 911XXXX
Drawer runner Quadro V6 EB 10,5 Push to open right - load up to 30 kg 911XXXX



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Drawer runner Quadro V6 EB 12,5 Push to open left- load up to 30 kg 911XXXX
Drawer runner Quadro V6 EB 12,5 Push to open right - load up to 30 kg 911XXXX
Drawer runner Quadro V6 EB 9,5 Push to open left- load up to 30 kg 911XXXX
Drawer runner Quadro V6 EB 9,5 Push to open right - load up to 30 kg 911XXXX
Double walled drawer side set with DesignSide 144 mm Inno Tech Atira left 9194XXX.9194XXX
Double walled drawer side set with DesignSide 144 mm Inno Tech Atira right 9194XXX.9194XXX
Double walled drawer side set with DesignSide 176 mm Inno Tech Atira left 9194XXX.9194XXX
Double walled drawer side set with DesignSide 176 mm Inno Tech Atira right 9194XXX.9194XXX
Double walled drawer side set with railing 144 mm InnoTech Atira left 9194XXX.370
Inner double walled drawer side set with railing 144 mm InnoTech Atira left 9194XXX.370
Double walled drawer side set with railing 144 mm InnoTech Atira right 9194XXX.370
Inner double walled drawer side set with railing 144 mm InnoTech Atira right 9194XXX.370
Double walled drawer side set with railing 176 mm InnoTech Atira left 9194XXX.378
Double walled drawer side set with railing 176 mm InnoTech Atira right 9194XXX.378
Double walled drawer side set 54 mm InnoTech Atira left 1063801.364
Double walled drawer side set 54 mm InnoTech Atira right 1063802.365
Double walled drawer side set 70 mm InnoTech Atira left 9194XXX.367
Double walled drawer side set 70 mm InnoTech Atira right 9194XXX.367
Inner double walled drawer side set 70 mm InnoTech Atira left 9194XXX.367
Inner double walled drawer side set 70 mm InnoTech Atira right 9194XXX.367
Drawer cabinet runner Actro 5D z Silent System left - load class L 92XXXXX
Drawer cabinet runner Actro 5D z Silent System left - load class XL 92571XX
Drawer cabinet runner Actro 5D z Silent System right - load class L 92XXXXX
Drawer cabinet runner Actro 5D z Silent System right - load class XL 92571XX
Profile Quadro 4DV6 Push to open 92477XX right
Profile Quadro 4DV6 Silent System 92453XX left
Profile Quadro 4DV6 Silent System 92453XX right
Profile Quadro 4DV6 Silent System 92453XX right
Drawer runner set full extension Quadro 25 EB20 left 91056XX
Drawer runner set full extension Quadro 25 EB20 right 91056XX
Drawer runner set full extension Quadro 25 EB23 left 91359XX
Drawer runner set full extension Quadro 25 EB23 right 91359XX
Drawer runner Quadro 40 BM left - load class 40 kg 00660XX
Drawer runner Quadro 40 BM right - load class 40 kg 00660XX
Drawer runner set full extension Quadro 4D V6 left 924538X
Drawer runner set full extension Quadro 4D V6 right 924538X
Cabinet profile Quadro V6 BM left - load class 30 kg 9079XXX
Cabinet profile Quadro V6 BM right - load class 30 kg 9079XXX
Drawer runner set full extension Quadro 4D EB20 right 4529X
Drawer runner set full extension Quadro V6 EB20 right 42528X
Drawer runner set for wooden drawers FR 402 with Stop Control left 10583XX
Drawer runner set for wooden drawers FR 402 with Stop Control right 10583XX
Drawer runner set for wooden drawers FR 6142 with Stop Control left 416XX
Drawer runner set for wooden drawers FR 6142 with Stop Control right 416XX
Runner set KA 4532 with Silent System, on side fixing, full extension, left



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Runner set KA 4532 with Silent System, on side fixing, full extension, right

Drawer runner set for wooden drawers KA 5332, on side fixing, full extension, left

Drawer runner set for wooden drawers KA 5332, on side fixing, full extension, right

Drawer runner set for wooden drawers KA 4532 AM z Push to open, full extension left

Drawer runner set for wooden drawers KA 4532 AM z Push to open, full extension right

Drawer runner set for wooden drawers KA 4932 AM, over full extension left

Drawer runner set for wooden drawers KA 4932 AM, over full extension right

Drawer runner set in groove fixing single extension left KA 1730 307XX_7905X

Drawer runner set in groove fixing single extension right KA 1730 307XX_7905X

Drawer runner set in groove fixing single extension left KA 270 1005XXX

Drawer runner set in groove fixing single extension right KA 270 1005XXX

Hinge 110° Intermat 9943 inset application 0048052X_9043360_70_1_908824X_116_1

Hinge 110° Intermat 9943 overlay application 00480XX_9043358_70_1_908824X_116_1

Hinge 110° Intermat 9943 half-overlay application 004805X_9043359_70_1_907500X_114_1

Hinge 110° Intermat 9973 inset application 90XXXXX_70_2_908824X_116_1

Hinge 110° Intermat 9973 overlay application 90XXXXX_70_2_907500X_114_1

Hinge 110° Intermat 9973 half-overlay application 90XXXXX_70_2_907500X_114_1

Hinge 110° Intermat 9943 inset application 9043360_0048058_71_1_908824X_116_1

Hinge 110° Intermat 9943 overlay application 0048056_9072555_71_1_907500X_114_1

Hinge 110° Intermat 9943 half-overlay application 0048057_9072556_71_1_907500X_114_1

Hinge 125° Intermat overlay application 9944 007390X_82_1_907500X_114_1

Hinge 125° Intermat 9944 half-overlay application 00739XX_82_1_907500X_114_1

Hinge 125° Intermat overlay application 9944 0073907_83_1_907500X_114_1

Hinge 125° Intermat 9944 half-overlay application 0073911_83_1_907500X_114_1

Hinge 165° Intermat 8657 overlay application 909975X_86_1_907500X_114_1

Hinge 165° Sensys 8657 with Intermat design half-overlay application 909976X_86_1_907500X_114_1

Hinge 165° Sensys 8687 with Intermat design half-overlay application 9099820_86_2_907500X_114_1

Hinge 165° Intermat 8657 overlay application 9099771_87_1_907500X_114_1

Hinge 165° Sensys 8657 with Intermat design half-overlay application 9099781_87_1_907500X_114_1

Hinge 95° Intermat 9936 Alu frame inset application 9155235_108_1_907500X_114_1

Hinge 95° Intermat 9936 Alu frame overlay application 9155233_108_1_907500X_114_1

Hinge 95° Intermat 9936 Alu frame half-overlay application 9155234_108_1_907500X_114_1

Hinge 95° Intermat 9904 for glass doors inset application 0072968_106_1_907500X_114_1

Hinge 95° Intermat 9904 for glass doors overlay application 0072960_106_1_907500X_114_1

Hinge 95° Intermat 9904 for glass doors half-overlay application 0072967_106_1_907500X_114_1

Hinge 95° Intermat 9935 inset application 9155243_78_1_907500X_114_1

Hinge 95° Intermat 9935 overlay application 9155241_78_1_907500X_114_1

Hinge 95° Intermat 9935 half-overlay application 9155242_78_1_907500X_114_1

Hinge 110° Intermat 9936 inset application 007392X_74_1_907500X_114_1

Hinge 95° Intermat 9936 overlay application 007391X_74_1_907500X_114_1

Hinge 95° Intermat 9936 half-overlay application 007391X_74_1_907500X_114_1

Hinge 95° Intermat 9966 inset application 9044878_74_2_907500X_114_1

Hinge 95° Intermat 9966 overlay application 9044858X_74_2_907500X_114_1



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Hinge 95° Intermat 9966 half-overlay application 9044868_74_2_907500X_114_1
Hinge 95° Intermat 9924 inset application 0072966_104_1_907500X_114_1
Hinge 95° Intermat 9924 overlay application 0072959_104_1_907500X_114_1
Hinge 95° Intermat 9924 half-overlay application 0072965_104_1_907500X_114_1
Hinge 50°/65° Intermat 9930 variant A overlay application
004503X_9044823_110_1_907500X_114_1
Hinge 50°/65° Intermat 9930 variant B overlay application
004503X_9044823_110_1_907500X_114_1
Hinge 50°/65° Intermat 9930 variant A overlay application 0045038_111_1_907500X_114_1
Hinge 50°/65° Intermat 9930 variant B overlay application 0045038_111_1_907500X_114_1
Angled hinge 95° Intermat 9936 W20 inset application 00776XX_90_1_907500X_114_1
Angled hinge 95° Intermat 9936 W20 overlay application 00776XX_90_1_907500X_114_1
Angled hinge 125° Intermat 9944 W-30 overlay application 007393X_100_1_907500X_114_1
Angled hinge 95° Intermat 9936 W30 inset application 007392X_92_1_907500X_114_1
Angled hinge 95° Intermat 9936 W30 overlay application 007769X_92_1_907500X_114_1
Angled hinge 95° Intermat 9966 W30 inset application 9044829_92_2_907500X_114_1
Angled hinge 95° Intermat 9966 W30 overlay application 9044826_92_2_907500X_114_1
Angled hinge 125° Intermay 9944 W-45 overlay application 9077XXX_102_1_907500X_144_1
Angled hinge 95° Intermat 9936 W45 inset application 007393X_94_1_907500X_114_1
Angled hinge 95° Intermat 9936 W45 overlay application 0mm 004809X_94_1_907500X_114_1
Angled hinge 95° Intermat 9936 W45 overlay application 6mm 0077XXX_94_1_907500X_114_1
Angled hinge 95° Intermat 9966 W45 inset application 9044838_94_2_907500X_114_1
Angled hinge 95° Intermat 9966 W45 overlay application 0mm 9044832_94_2_907500X_114_1
Angled hinge 95° Intermat 9936 W45 overlay application 6mm 9044835_94_2_907500X_114_1
Angled hinge 95° Intermat 9936 W90 inset application 007770X_98_1_907500X_114_1
Angled hinge 95° Intermat 9936 W90 overlay application 904484X_98_1_907500X_114_1
Angled hinge 95° Intermat 9966 W90 inset application 9044841_98_2_907500X_114_1
Angled hinge 95° Intermat 9966 W90 overlay application 9043556_98_2_907500X_114_1
Hinge 95° Perfekt 5737 W90 slip-on inset application 0069063_208_1
Hinge 95° Perfekt 5204 W90 slip-on inset application 0069607_209
Hinge 95° Perfekt 5224 W90 slip-on inset application 0069609_208_2
Hinge 110° Sensys 8645 inset application 907364X_26_2_907500X_114_1
Hinge 110° Sensys 8645 overlay application 90736XX_26_2_907500X_114_1
Hinge 110° Sensys 8645 half-overlay application 90736XX_26_2_907500X_114_1
Hinge 110° Sensys 8645i inset application 90736XX_26_1_907500X_114_1
Hinge 110° Sensys 8645i overlay application 90736XX_26_1_907500X_114_1
Hinge 110° Sensys 8645i half-overlay application 90736XX_26_1_907500X_114_1
Hinge 110° Sensys 8675 inset application 90736XX_26_3_907500X_114_1
Hinge 110° Sensys 8675 overlay application 907366X_26_3_907500X_114_1
Hinge 110° Sensys 8675 half-overlay application 907366X_26_3_907500X_114_1
Hinge 110° Sensys 8645 inset application 90736XX_27_2_907500X_114_1
Hinge 110° Sensys 8645 overlay application 90736XX_27_2_907500X_114_1
Hinge 110° Sensys 8645 half-overlay application 90736XX_27_2_907500X_114_1
Hinge 110° Sensys 8645i inset application 90736XX_27_1_907500X_114_1
Hinge 110° Sensys 8645i overlay application 90736XX_27_1_907500X_114_1
Hinge 110° Sensys 8645i half-overlay application 90736XX_27_1_907500X_114_1



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Hinge 110° Sensys 8675 inset application 90736XX_27_3_907500X_114_1
Hinge 110° Sensys 8675 overlay application 90736XX_27_3_907500X_114_1
Hinge 110° Sensys 8675 half-overlay application 907367X_27_3_907500X_114_1
Hinge 110° Sensys 8645i inset application 90917XX_28_1_907500X_114_1
Hinge 110° Sensys 8645i overlay application 90917XX_28_1_907500X_114_1
Hinge 110° Sensys 8645i half-overlay application 90917XX_28_1_907500X_114_1
Hinge 110° Sensys 8675 inset application 90917XX_28_2_907500X_114_1
Hinge 110° Sensys 8675 overlay application 90917XX_28_2_907500X_114_1
Hinge 110° Sensys 8675 half-overlay application 90917XX_28_2_907500X_114_1
Hinge 110° Sensys 8646 inset application 909438X_36_2_907500X_114_1
Hinge 110° Sensys 8646 overlay application 909436X_36_2_907500X_114_1
Hinge 110° Sensys 8646 half-overlay application 909437X_36_2_907500X_114_1
Hinge 110° Sensys 8646i inset application 909429X_36_1_907500X_114_1
Hinge 110° Sensys 8646i overlay application 909427X_36_1_907500X_114_1
Hinge 110° Sensys 8646i half-overlay application 90942XX_36_1_907500X_114_1
Hinge 110° Sensys 8676 inset application 909447X_36_3_907500X_114_1
Hinge 110° Sensys 8676 overlay application 909445X_36_3_907500X_114_1
Hinge 110° Sensys 8676 half-overlay application 909446X_36_3_907500X_114_1
Hinge 110° Sensys 8646 inset application 909441X_37_2_907500X_114_1
Hinge 110° Sensys 8646 overlay application 909439X_37_2_907500X_114_1
Hinge 110° Sensys 8646 half-overlay application 909440X_37_2_907500X_114_1
Hinge 110° Sensys 8646i inset application 909432X_37_1_907500X_114_1
Hinge 110° Sensys 8646i overlay application 909430X_37_1_907500X_114_1
Hinge 110° Sensys 8646i half-overlay application 909431X_37_1_907500X_114_1
Hinge 110° Sensys 8676 inset application 909450X_37_3_907500X_114_1
Hinge 110° Sensys 8676 overlay application 909448X_37_3_907500X_114_1
Hinge 110° Sensys 8676 half-overlay application 909449X_37_3_907500X_114_1
Hinge 110° Sensys 8646i inset application 90917XX_38_1_907500X_114_1
Hinge 110° Sensys 8646i overlay application 90917XX_38_1_907500X_114_1
Hinge 110° Sensys 8646i half-overlay application 90917XX_38_1_907500X_114_1
Hinge 110° Sensys 8676 inset application 90917XX_38_2_907500X_114_1
Hinge 110° Sensys 8676 overlay application 90917XX_38_2_907500X_114_1
Hinge 110° Sensys 8676 half-overlay application 90917XX_38_2_907500X_114_1
Hinge 165° Sensys 8657 overlay application 909960X_40_2_907500X_114_1
Hinge 165° Sensys 8657 half-overlay application 909961X_40_2_907500X_114_1
Hinge 165° Sensys 8657i overlay application 909954X_40_1_907500X_114_1
Hinge 165° Sensys 8657i half-overlay application 909955X_40_1_907500X_114_1
Hinge 165° Sensys 8687 overlay application 909960X_40_3_907500X_114_1
Hinge 165° Sensys 8687 half-overlay application 909967X_40_3_907500X_114_1
Hinge 165° Sensys 8657 overlay application 909960X_41_2_907500X_114_1
Hinge 165° Sensys 8657 half-overlay application 9099633_41_2_907500X_114_1
Hinge 165° Sensys 8657i overlay application 909956X_41_1_907500X_114_1
Hinge 165° Sensys 8657i half-overlay application 909957X_41_1_907500X_114_1
Hinge 165° Sensys 8687 overlay application 909968X_41_3_907500X_114_1
Hinge 165° Sensys 8687 half-overlay application 9099693_41_3_907500X_114_1



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Hinge 165° Sensys 8657i overlay application 90917XX_42_1_907500X_114_1
Hinge 165° Sensys 8657i half-overlay application 90917XX_42_1_907500X_114_1
Hinge 165° Sensys 8687 overlay application 90917XX_42_2_907500X_114_1
Hinge 165° Sensys 8687 half-overlay application 90917XX_42_2_907500X_114_1
Hinge 95° Sensys 8638 alu frame inset application 9072529_58_2_908824X_116_3
Hinge 95° Sensys 8638 alu frame overlay application 9072525_58_2_907500X_114_1
Hinge 95° Sensys 8638 alu frame half-overlay application 9072528_58_2_907500X_114_1
Hinge 95° Sensys 8638i alu frame inset application 9072526_58_1_908824X_116_3
Hinge 95° Sensys 8638i alu frame overlay application 9072524_58_1_907500X_114_1
Hinge 95° Sensys 8638i alu frame half-overlay application 9072525_58_1_907500X_114_1
Hinge 95° Sensys 8668 alu frame inset application 9072532_58_3_908824X_116_3
Hinge 95° Sensys 8668 alu frame overlay application 9072530_58_3_907500X_114_1
Hinge 95° Sensys 8668 alu frame half-overlay application 9072531_58_3_907500X_114_1
Hinge 95° Sensys 8638i alu frame overlay application 9091744_59_1_907500X_114_1
Hinge 95° Sensys 8631 inset application 909151X_30_2_907500X_114_1
Hinge 95° Sensys 8631 overlay application 909149X_30_2_907500X_114_1
Hinge 95° Sensys 8631 half-overlay application 909150X_30_2_907500X_114_1
Hinge 95° Sensys 8631i inset application 909142X_30_1_907500X_114_1
Hinge 95° Sensys 8631i overlay application 90914XX_30_1_907500X_114_1
Hinge 95° Sensys 8631i half-overlay application 909141X_30_1_907500X_114_1
Hinge 95° Sensys 8661 inset application 909160X_30_3_907500X_114_1
Hinge 95° Sensys 8661 overlay application 909158X_30_3_907500X_114_1
Hinge 95° Sensys 8661 half-overlay application 909159X_30_3_907500X_114_1
Hinge 95° Sensys 8631 inset application 909154X_31_2_907500X_114_1
Hinge 95° Sensys 8631 overlay application 909152X_31_2_907500X_114_1
Hinge 95° Sensys 8631 half-overlay application 909153X_31_2_907500X_114_1
Hinge 95° Sensys 8631i inset application 909145X_31_1_907500X_114_1
Hinge 95° Sensys 8631i overlay application 909143X_31_1_907500X_114_1
Hinge 95° Sensys 8631i half-overlay application 909144X_31_1_907500X_114_1
Hinge 95° Sensys 8661 inset application 909163X_31_3_907500X_114_1
Hinge 95° Sensys 8661 overlay application 909161X_31_3_907500X_114_1
Hinge 95° Sensys 8661 half-overlay application 909162X_31_3_907500X_114_1
Hinge 95° Sensys 8631i inset application 909175X_32_1_907500X_114_1
Hinge 95° Sensys 8631i overlay application 909175X_32_1_907500X_114_1
Hinge 95° Sensys 8631i half-overlay application 90917XX_32_1_907500X_114_1
Hinge 95° Sensys 8661 inset application 90917XX_32_2_907500X_114_1
Hinge 95° Sensys 8661 overlay application 90917XX_32_2_907500X_114_1
Hinge 95° Sensys 8661 half-overlay application 90917XX_32_2_907500X_114_1
Angle limiter for Sensys hinges with wide opening angle 9090864_126
Hinge 110° Sensys for glass doors and sides universal 9135141_149_9133536_145_2
Hinge 110° Sensys for glass doors inset application
9135141_9106989_9072538_158_910698X_122_1_3
Hinge 135° Sensys for glass doors overlay application 9099550_9081923_153_907500X_114_1
Hinge 135° Sensys for glass doors and sides overlay application
9135140_9090864_148_9133536_145_2
Hinge 135° Sensys for glass doors overlay application 9135140_9090864_152_907500X_114_1



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Hinge 165° Sensys for glass doors inset application 9099550_157_907500X_114_1

Hinge 165° Sensys for glass doors inset application 9135140_156_907500X_114_1

Angled hinge 95° Sensys W30/45/90 for glass doors inset application _160_907500X_114_1

Hinge 95°/110° Sensys for glass doors overlay application _154_9133536_145_2

Hinge 95°/110° Sensys for glass inset application _159_907500X_114_1_907500X_114_1

Hinge 95°/110° Sensys for glass sides overlay application _162_9133534_145_3

Hinge 95°/110° Sensys for glass sides inset application _163_9133534_145_3

Sensys hinge for glass construction with open angle 165°/135°/110° _144

Angled hinge 85°/95°/100°/105° Sensys for glass doors overlay application 9135140_9090864_155_907500X_114_1

Hinge 50°/65° Interimat 9930 overlay application 90901XX_62_1_907500X_114_1

Hinge 50°/65° Interimat 9930 overlay application 90901XX_63_1_907500X_114_1

Hinge 50°/65° Interimat 9930 overlay application 90901XX_64_1_907500X_114_1

Angled hinge 95° Sensys 8639 W30 inset application 9088101_44_2_907500X_114_1

Angled hinge 95° Sensys 8639 W30 overlay application 90881XX_44_2_907500X_114_1

Angled hinge 95° Sensys 8639i W30 inset application 9088017_44_1_907500X_114_1

Angled hinge 95° Sensys 8639i W30 overlay application 90880XX_44_1_907500X_114_1

Angled hinge 95° Sensys 8669 W30 inset application 9088177_44_3_907500X_114_1

Angled hinge 95° Sensys 8669 W30 overlay application 90881XX_44_3_907500X_114_1

Angled hinge 95° Sensys 8639 W30 overlay application 9088142_45_2_907500X_114_1

Angled hinge 95° Sensys 8639i W30 inset application 9088023_45_1_907500X_114_1

Angled hinge 95° Sensys 8639i W30 overlay application 90880XX_45_1_907500X_114_1

Angled hinge 95° Sensys 8669 W30 overlay application 9088218_45_3_907500X_114_1

Angled hinge 95° Sensys 8639i W30 overlay application 90917XX_46_1_907500X_114_1

Angled hinge 95° Sensys 8639 W30 overlay application 90881XX_46_2_907500X_114_1

Angled hinge 95° Sensys 8639i W45 inset application 9088020_48_1_907500X_114_1

Angled hinge 95° Sensys 8639i W45 overlay application -2mm 90880XX_48_1_907500X_114_1

Angled hinge 95° Sensys 8639i W45 overlay application 9 mm 90880XX_48_1_907500X_114_1

Angled hinge 95° Sensys 8669 W45 inset application 9088180_48_2_907500X_114_1

Angled hinge 95° Sensys 8669 W45 overlay application -2mm 9088XXX_48_2_907500X_114_1

Angled hinge 95° Sensys 8669 W45 overlay application 9 mm 9088XXX_48_2_907500X_114_1

Angled hinge 95° Sensys 8639i W45 inset application 9088026_49_1_907500X_114_1

Angled hinge 95° Sensys 8639i W45 overlay application -2mm 90880XX_49_1_907500X_114_1

Angled hinge 95° Sensys 8639i W45 overlay application 9 mm 90880XX_49_1_907500X_114_1

Angled hinge 95° Sensys 8639i W45 overlay application -2mm 90917XX_50_1_907500X_114_1

Angled hinge 95° Sensys 8639i W45 overlay application 9 mm 90880XX_50_1_907500X_114_1

Angled hinge 95° Sensys 8669 W45 overlay application -2mm 90917XX_50_2_907500X_114_1

Angled hinge 95° Sensys 8669 W45 overlay application 9 mm 90880XX_50_2_907500X_114_1

Angled hinge 95° Sensys 8639i W90 inset application 9088021_54_1_907500X_114_1

Angled hinge 95° Sensys 8639i W90 inset application 9088XXX_54_2_907500X_114_1

Angled hinge 95° Sensys 8639i W90 inset application 90880XX_55_1_907500X_114_1

Angled hinge 95° Sensys 8639i W90 inset application 90917XX_56_1_907500X_114_1

Angled hinge 95° Sensys 8669 W90 inset application 90917XX_56_2_907500X_114_1

Hinge Selekt Pro 2000 E inset application 0045064_222_1_0077XXX_0010074

Hinge Selekt Pro 2000 dual application overlay 5,5 mm 0045067_220_1_0077XXX_0010074



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Hinge Seleakta Pro 2000 overlay application 5,5 mm 0045066_214_1_0077XXX_0010074
Hinge 95° SlideOn 2333 inset application 107866X_172_1_1079XXX_174_1
Hinge 95° SlideOn 2333 overlay application 107866X_172_1_1079XXX_174_1
Hinge 95° SlideOn 2333 half-overlay application 107866X_172_1_1079XXX_174_1
Special hinge 180° middle for folding doors 0079373_238_1
Special hinge 180° middle 625 for folding doors 0071648_239_1
Special hinge 180° middle for folding doors 0046787_0052095_237_1
Special hinge 110° Optimat Plus 4 FM for frame-construction cabinets 9072548_247
Special hinge 180° Excellent cylindrical inset application 00311XX_248
Special hinge slide for refrigerator construction 9079390_245_1
Special hinge 90° with spring system for movable front strip 0060832_246
Special hinge Markant 7_1 for flaps overlay application 0046849_257
Special hinge Markant 11 for flaps overlay application 0040242_258
Special hinge 170° ET 5150Z for glass doors inset application 006934_234_2
Screw $\varnothing 3,5 \times 16$ mm with head $\varnothing 6$ mm
Special hinge 170° ET 5150 for glass doors inset application 0024908_234_1
Special hinge 150° ET 150 for glass doors inset application 0020870_236_1
Special hinge 180° inset application 91331XX_249
Hinge 110° pintle hinge for doors inset application 0006731_256
Special hinge 90° screw fixing 0019639_252_1
Special hinge 165-130° screw fixing 0020046_253_1
Special hinge 90° screw fixing Mini 0020126_254_1
Special hinge 115° complementary Kamat for refrigerator construction 923784_240_1
Euro-screw $\varnothing 6,3 \times 15$ mm
Special hinge 95° for refrigerator construction 0072134_244_1
Angle pad for cruciform mounting plates - 37/32 907253X_122_3
Angle pad for cruciform mounting plates- 37/32 9237120_122_4
Angle pad for cruciform mounting plates special - 37/32 0079349_181_2
Mounting plate for construction with front strip, for screw fixing - 9,5/40 908824X_116_3
Mounting plate for construction with front strip, for screw fixing - 9,5/40 909088X_119_3
Glued-on adapter for hinges Sensys 9081923_145_1
Glued-on casing 9116092_144_3
Mounting plate for glueing on for hinges Sensys 9133534_145_3
Mounting plate for glueing on for hinges Sensys 9133536_145_2
Patented cruciform mounting plate "Hettich Direkt" with special screws - 37/32 907158X_115_3
Patented cruciform mounting plate "Hettich Direkt" with special screws - 37/32 107921X_174_2
Patented cruciform mounting plate "Hettich Direkt" with special screws - 37/32 907506X_118_3
Patented cruciform mounting plate "Hettich Direkt" with special screws- 37/32 909181X_121_2
Patented cruciform mounting plate "Hettich Direkt" with special screws - 37/32 90918XX_120_2
Horizontal mounting plate for screw fixing - 20/32 908824X_116_1
Horizontal mounting plate for screw fixing - 37/32 911747X_121_3
Horizontal mounting plate for screw fixing - 20/32 911734X_119_1
Parallel adapter 907253X_122_2
Horizontal mounting plate for inserting - 20/32 908824X_116_2
Horizontal mounting plate for inserting - 20/32 91173XX_119_2



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Cruciform mounting plate for inserting - 37/32 907161X_114_2
Adapter for inset doors with frame construction - 20/32 9227315_123_1
Special mounting plate for parallel adapter - 37/32 91069XX_122_1_3
Cruciform mounting plate for screw fixing - 37/32 1079XXX_174_1
Cruciform mounting plate for screw fixing - 37/32 907500X_114_1
Special mounting plate for parallel adapter - 37/32 910698X_122_1
Cruciform mounting plate with expansion joint and special screws - 37/32 907159X_115_1
Cruciform mounting plate with expansion joint and special screws - 37/32 907160X_114_3
Cruciform mounting plate with expansion joint and special screws - 37/32 907166X_117_1
Cruciform mounting plate with expansion joint and special screws - 37/32 907166X_117_2
Cruciform mounting plate with wood screws - 37/32 907166X_117_3
Special mounting plate for parallel adapter - 37/32 910698X_122_1_2
Cruciform mounting plate with euro-screws - 37/32 107922X_174_3
Cruciform mounting plate with euro-screws - 37/32 907505X_115_2
Cruciform mounting plate with euro-screws - 37/32 909180X_121_1
Cruciform mounting plate with euro-screws - 37/32 9091XXX_120_1
Cruciform mounting plate with euro-screws - 37/32 906506X_118_2
Cruciform mounting plate with euro-screws - 37/32 907508X_118_1
Push to open Lock for inserting 9089595_194_1
Push to open Magnet for inserting 908959X_193_1
Push to open Pin for screw fixing 9089587_188_1
Push to open Pin for inserting 9089589_189_1
Push to open Magnet for screw fixing 9089590_192_1
Push to open Pin for screw fixing 9089597_190_1
Push to open Pin Strong for inserting 9089599_191_1
Screw-fixed damper Silent System Universal - 9,5/32 006087_137_2
Cliped-in damper Silent System 9072589_006057X_134_1
Damper Silent System for the hinge cup _135_1
Inserted damper Silent System Universal 0060685_137_1
Screw-fixed horizontal damper Silent System Universal - 19/22 _174_1
Screw-fixed damper Silent System - 20/32 00605XX_136_1
Worktop connector AVB4
Worktop connector AVB5

Italiana Ferramenta

K TOP Compact worktops connector

QUICK connector for worktops with th. min. 25 mm

Marcopol

Fully threaded hardened wood screw with washer head Marcopol

Fully threaded tapered wood screw Marcopol

Confirmat screw with Allen key head Marcopol

Confirmat screw with Allen key head with tooling Marcopol

Countersunk screw Euro Marcopol



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska

Nomet

Handle AKSIS

Handle ALTARE

Handle ALTRO

Handle AMARO

Handle ANDARE

Handle ANSA

Handle APRO



+48 12 626 06 00



woodexpert3d.com
woodexpert@solidexpert.com



SOLIDEXPERT POLSKA Sp. z o.o.
G. Zapolskiej 44, 30-126 Kraków, Polska